

Bergmannstrasse 10 88471 Laupheim/Germany

Phone +49 (0)7392/97 25-0 Fax +49 (0)7392/97 25-50

Email info@pernuma.de Web www.pernuma.de





PERNUMA **OFFICE Z**

Electric Number Perforating Machine

This machine is equipped with 6 number wheels in its standard version.

According to the character height the machine can be supplied with more than 6 wheels. The max. width of the impression may be up to 80 mm.

The 12-piece wheels are available with the figures from 0-9 as well as a blank position and a character of your choice or even with letters.

The desired figure or letter combination is set by a pin. Due to the small wheels the adjustment of each wheel may require several pin settings.

The model OFFICE Z can be used to perforate a date as well, for example "28.01.06".

The perforation is effected by lateral fastened pushbuttons. The main switch is at the rear of the machine.

Our standard character heights are 5.5, 6.5, 7, 8.5 or 10 mm.

The machine is equipped with an easy-to-exchange block-type-die-unit. The insertion depth is 42 mm.

Up to 20 sheets of 70 g paper can be marked in one operation depending on the number of digits.

The insertion height is 2 mm.

The machine can be supplied with a foot switch or a safety lock.

Important

In case of order please let us always know where on the forms the impression is required so that it appears legible.


> **PERNUMA** GmbH Kennzeichnungs **Systeme**



Bergmannstrasse 10 88471 Laupheim/Germany

Phone +49 (0)7392/97 25-0 Fax +49 (0)7392/97 25-50

Email info@pernuma.de Web www.pernuma.de





PERNUMA OFFICE Z

Electric Number Perforating Machine

Technical Data

PERNUMA OFFICE Z

Type of current	230 V/50 cps (direct current) special voltage upon request
Insertion depth	42 mm
Machine dimensions	(D) 31.5 cm (W) 15.4 cm (H) 29.0 cm
Packaging dimensions	(D) 54.0 cm (W) 39.0 cm (H) 33.0 cm
Net weight Gross weight	18 kg 20.5 kg

Character height 6.5 mm, Pin Ø 0.8 mm



Character height 8.5 mm, Pin Ø 0.9 mm



Character height 10 mm, Pin Ø 1.1 mm

PERNUMA GmbH Kennzeichnungs **Systeme**