

CONVEYING

- ROLLER CONVEYORS
- WHEEL CONVEYORS
- FLEXI CONVEYORS
- BELT CONVEYORS
- CURVES
- CONTROLLERS
- VERTICAL LIFTS
- ROTARY TABLES
- PUSHERS
- ACCESSORIES




Non-driven conveyors

Wheel conveyors with Ø 48 wheel axles - with double number of wheels

Smooth-running wheel conveyors where the axle pitch and number of wheels can be combined so that even difficult items can be transported.

- The wheels are silent, and a very low decline is required to obtain unassisted flow of items.
- Wheel conveyors are suitable for transport of cardboard cases, plates, and similar items.



Specifications

Rollers	Ø 48 mm wheel axles with double number of wheels. The wheels have stainless steel balls.
Axles	Ø 8 mm steel.
Frames	Electro-galvanised steel.
Axle pitch	30, 60 mm (available in 90 and 120 mm).
Width	200, 300, 400, 500, and 600 mm.
Length	250, 500, 750, 1000, 1500, 2000, 2500, and 3000 mm.

The wheel conveyors are also available in stainless steel.
Subject to alteration.

Item numbers

Width	Length	Axle pitch 30/Item no.	Axle pitch 60/Item no.
200	250	450023201	450023202
	500	450023211	450023212
	750	450023251	450023252
	1000	450023221	450023222
	1500	450023231	450023232
	2000	450023241	450023242
	2500	450023261	450023262
	3000	450023271	450023272
	300	250	450023301
500		450023311	450023312
750		450023351	450023352
1000		450023321	450023322
1500		450023331	450023332
2000		450023341	450023342
2500		450023361	450023362
3000		450023371	450023372
400		250	450023401
	500	450023411	450023412
	750	450023451	450023452
	1000	450023421	450023422
	1500	450023431	450023432
	2000	450023441	450023442
	2500	450023461	450023462
	3000	450023471	450023472
	500	250	450023501
500		450023511	450023512
750		450023551	450023552
1000		450023521	450023522
1500		450023531	450023532
2000		450023541	450023542
2500		450023561	450023562

Width	Length	Axle pitch 30/Item no.	Axle pitch 60/Item no.
500	3000	450023571	450023572
600	250	450023601	450023602
	500	450023611	450023612
	750	450023651	450023652
	1000	450023621	450023622
	1500	450023631	450023632
	2000	450023641	450023642
	2500	450023661	450023662
	3000	450023671	450023672


All measurements are in mm. Subject to alteration.



Smooth-running castor with stainless steel ball bearing.

Accessories

- ▶ Supports for wheel and roller conveyors



The SOCO SYSTEM

From case erecting to pallet securing

The SOCO SYSTEM product range handles cases, plastic crates, trays, pallets, and many of your products.

The SOCO SYSTEM product range is designed to increase efficiency and eliminate physically strenuous work functions.

One system – one supplier

There are many advantages of full product compatibility; less paperwork and no time wasted in adapting products from different suppliers.

Meet your future requirements

Add modules and functionality, relocate modules, or whatever fits your future needs.

Call us, mail us, or visit us at www.socosystem.com



Your local SOCO SYSTEM dealer:

Arctec (Pty) Ltd.
P.O. Box 70636, Bryanston, 2021

11 Barbeque Terrace
Dytchley Road, Kyalami
Midrand, South Africa

S26° 00' 09.11" E28° 04' 22.18"

COPYRIGHT SOCO SYSTEM 2006



Head office:
SOCO SYSTEM A/S
Helgeshoej Allé 16D
DK-2630 Taastrup
Denmark
Tel +45 43 52 55 66
Fax +45 43 52 81 16
info@socosystem.com
www.socosystem.com



Geberit AG, Switzerland



Sig. Ágústsson, Iceland



Laru, Germany



Toms, Denmark



Rioja, Spain



Bouché Père & Fils, France



United Milk, England



Altmark Käserei, Germany